



Flush mounted interior LED light is controlled automatically by a waterproof, solid state, door switch.

Powerful refrigeration chills contents to 1°C in ambient temperatures of up to 43°C.



Precision electronic temperature control by Danish brand leader Danfoss, with built-in abnormal voltage protection.



Waterproof, solid state, door switch

Marine Grade (316) brushed stainless steel exterior

Catering grade (304) mirror stainless steel interior




Adjustable feet can be extended to raise height by up to 30mm.

Safety approved for outdoor use. Officially IP24 Rated and Certified.




Heavy duty articulated hinges featuring soft self closing door. The hinge allows the door to open to 115° without touching adjoining cabinetry. (Decor panel max thickness is 19mm). Door is reversible



3D adjustment system to fix decor panel to iXP1 door to ensure precision shut lines. Décor panel max weight 20Kg.



Fully adjustable shelves with adjustment every 12mm to maximise storage space. Supplied with two, height adjustable, heavy duty, chrome plated flat shelves with anti-topple design and 1 wine shelf with saddle adjusters for different size of wine and champagne bottles.









Introducing the new Blastcool® Extremis® iXP1, the ultimate high-performance outdoor refrigerator designed for seamless integration into your luxury outdoor kitchen and dining area. Built to withstand a wide range of outdoor environments - from sundrenched patios to coastal retreats - the Extremis® iXP1 ensures long-lasting durability and reliability.

Crafted from marine-grade 316 stainless steel, the Extremis® iXP1 is engineered to withstand outdoor conditions and has been independently tested and certified to IP24 standards for outdoor safety. Its Danfoss precision electronic temperature control guarantees optimal cooling, while energy-efficient, whisper-quiet fans minimize power consumption. Capable of maintaining temperatures as low as 1°C - even in scorching 43°C ambient heat, this fridge is designed to keep your food and drinks perfectly chilled, in nearly all weather conditions.

Inside, the iXP1 features a mirror-finish, pro-catering grade stainless steel interior, bringing professional kitchen quality to your outdoor living space. Whether you're storing wine, champagne, or fresh ingredients, its adjustable heavy-duty shelves and dedicated wine rack provide ultimate versatility.

Designed with both style and function in mind, the Extremis® iXP1 includes a secure anti-tilt system and a ventilation grille kick-board insert for a sleek, built-in look. The Blastcool iXP1 is the must-have for hosting outdoors, where you require performance, style, and reliability in every detail.

## Technical Details

Materials

Exterior Finish Marine grade (316) brushed stainless steel
Interior Finish Catering grade (304) mirror stainless steel

Interior Light Integrated LED (6500K) with solid state switch on door

Shelving 2 Flat chrome wire shelves, 1 wine shelf to suit wine or champagne bottles

**Dimensions** 

External Dimensions (HxWxD) 840 x 598 x 618mm (adjustable feet can raise the unit up to 30mm)

Internal Dimensions (HxWxD) 615 x 515 x 429mm (excludes internal step)

Packed Dimensions (HxWxD) 1052 x 659 x 670mm

Décor Panel Max Thickness 19mm. Max Weight 20Kg

Door Opening 115° (or can be restricted to 90° with hinge limiter pin)

**Capacities** 

Volume 130 litres
Net Weight 54 Kg
Packed Weight 70 Kg

Refrigeration

Temperature Range Adjustable between 1 and 15°C

Climate Class 5 Max Ambient 43°C

Min Ambient -25°C (If ambient is below zero food and drink should not be left in the fridge)

Ingress Protection IP24
Refrigerant Gas R600a
Refrigerant Charge 68q

**Electrical** 

Voltage/Frequency 220-240V/50-60Hz

Input Power 85W Current 0.4A

Controller Danfoss, with built-in abnormal voltage protection

Fans Energy efficient cooling fans, featuring both EC and DC technology from brand leading, European

manufacturers.

Energy Rating 139 kWh/annum (18)

InstallationUnit must be professionally installed in accordance with all instructionsWarranty5 Year Warranty - terms and conditions apply see www.blastcool.com






















## **Supplied Fittings**

- Lock down plate to prevent tilting
- Hinge limiter pin to restrict door opening from 115° to 90° if required.
- · Ventilation grille for use with kick-plate/skirting board
- Cabinet integration brackets to stop movement





